

Indianapolis Division 6964 Hillsdale Ct. Indianapolis, IN 46250 Tel: (317) 842-4261 Fax: (317) 842-4286

ANALYTICAL REPORT

MAY 1 4 1998

Mr. Richard Tyler
MILBANK MANUFACTORING INC
1400 E. HAVENS ST.
KOKOMO, IN 56901-3188

05/11/1998

NET Job Number: 98

98.03027

Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to NET, Inc. Indianapolis Division for analysis:

Project Description: TWICE WEEKLY WASTEWATER

Sample Date Number Sample Description Taken Received 206663 OUTFALL 001 05/05/1998 05/05/1998

National Environmental Testing, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.

Project Representative



Indianapolis Division 6964 Hillsdale Ct. Indianapolis, IN 46250

Tel: (317) 842-4261 Fax: (317) 842-4286

MAY 1 4 1998

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTORING INC
1400 E. HAVENS ST.
KOKOMO, IN 56901-3188

05/11/1998

Job No.: 98.03027 Page 2 of 3

Date Received: 05/05/1998

Job Description: TWICE WEEKLY WASTEWATER

4.35.4			하는 이 그리는 이 아이를 모았다.			
Sample Number /	Sample I.D.		Sample Date/	Analyst &		Reporting
Parameters	Result	Flaq	Units	Date Analyzed	<u>Method</u>	Limit
206663	OUTFALL 001		05/05/1998			1000
Iron, ICP	0.36		mg/L	tjg / 05/06/1998	E-200.7	<0.10
Lead, ICP	<0.080		mg/L	tjg / 05/06/1998	E-200.7	<0.080
Silver, ICP	<0.010		mg/L	tjg / 05/06/1998	E-200.7	<0.010
Zinc, ICP	2.0		mg/L	tjg / 05/06/1998	E-200.7	<0.020
			1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1			



Indianapolis Division 6964 Hillsdale Ct. Indianapolis, IN 46250 Tel: (317) 842-4261 Fax: (317) 842-4286

MAY 1 4 1998

FIELD REPORT

JOB #: 98.03027

CLIENT: MILBANK MFG.

PROJECT: TWICE WEEKLY WASTEWATER

DATE: 5/05/98
SAMPLER(S): MTM

An ISCO model 6700 auto sampler was used in the composite mode of operation. The sampler was equipped with a plastic composite jug, tygon suction line, battery, ice, and strainer.

All reusable equipment is decontaminated with alconox, tap water, 5% nitric acid, and deionized water. New tygon suction tubing was used for the sampler. A stainless steel strainer was also used for the sampling event.

The sampler was set to take a sample every 30 minutes for 24 hours.

Monitoring start 08:00 on 5/04/98 Monitoring end 08:00 on 5/05/98

The composite sample was slightly cloudy.

Notes: Samples were preserved, in the field, in the appropriate containers with any required preservative.



		ADDR PHON PROJI PROJI	ADDRESS 1400 E. HAVENS PHONE (765) 452-5694 PROJECT NAME/LOCATION TWICE PROJECT NUMBER PROJECT MANAGER Marchael March								ST. WE	EKU	_FAX	ANALYSE	ER			REPORT TO: RICHAR YLER INVOICE TO: P.O. NO. NET QUOTE NO. To assist us in selecting the proper method Is this work being conducted for regulatory compliance monitoring? Is this work being conducted for regulatory						
DATE 998	TIME	SAMPLE ID/DESCRIPTIO		MATRIX	GRAB	COMP	HCI		end Ty Contain ONH	Pe of ners 408 ² H		METALS: FE	As In						enforcement a	action?	ply: RCRA UST Other	Yes NPDES V Drin	Vastewater _ king Water _ None _	
5/4-	5/5	OUTFALL OOI		3		k			1			\(\frac{\z}{\cdot}\)	X								COM	WENTS		
																					MAY 1 4 1998			
		F SAMPLE: BOTTLES INTACT? FIELD FILTERED?	YES / NO YES / NO SAMPLE REMA	INDE	ER TO		V	OLA	TILE	LS F	PRES	SENT OF H	AND	INTA	CI2 YES / NO	סיי סיי		Ē	TEMPERATUF Bottles supplie	RE U	PON RECENET?	IPT: <u>4, 5</u> / NO	3°c	
RELINQU	JISHED BY	I REQUES	T NET TO DISF	D BY:	E OF					MAI	INDE		ELINQI	UISHE	D BY:		DATE 5.5		TIME S	F	ECEIVED FOR	- R NET BY:		